

Electrical Engineering Department University of Delaware
Technical Report 89-9-2 September 1989

Network Time Protocol (Version 2) Specification and Implementation

David L. Mills

Abstract

This document describes the Network Time Protocol (NTP), specifies its formal structure and summarizes information useful for its implementation. NTP provides the mechanisms to synchronize time and coordinate time distribution in a large, diverse internet operating at rates from mundane to lightwave. It uses a returnable-time design in which a distributed subnet of time servers operating in a self-organizing, hierarchical-master-slave configuration synchronizes local clocks within the subnet and to national time standards via wire or radio. The servers can also redistribute reference time via local routing algorithms and time daemons.

This is an Internet Standard Recommended Protocol with assigned number RFC-1119.

Keywords: network clock synchronization, standard time distribution, fault-tolerant architecture, maximum-likelihood estimation, disciplined oscillator, internet protocol, formal specification.

Sponsored by: Defense Advanced Research Projects Agency contract number N00140-87-C-8901 and by National Science Foundation grant number NCR-86-12015.

Table of Contents

1.	Introduction	1
1.1.	Related Technology	2
2.	System Architecture	3
2.1.	Implementation Model	4
2.2.	Network Configurations	5
2.3.	The NTP Timescale	6
2.4.	The NTP Calendar	8
2.5.	Time and Frequency Dissemination	9
3.	Network Time Protocol	10
3.1.	Data Formats	10
3.2.	State Variables and Parameters	11
3.2.1.	Common Variables	11
3.2.2.	System Variables	13
3.2.3.	Peer Variables	13
3.2.4.	Packet Variables	14
3.2.5.	Clock Filter Variables	15
3.2.6.	Parameters	17
3.3.	Modes of Operation	18
3.4.	Event Processing	20
3.4.1.	Transmit Procedure	20
3.4.2.	Receive Procedure	21
3.4.3.	Packet Procedure	23
3.4.4.	Primary-clock procedure	25
3.4.5.	Clock-update procedure	25
3.4.6.	Initialization Procedure	26
3.4.7.	Clear Procedure	27
3.4.8.	Poll-update procedure	28
3.5.	Access Control Issues	28
4.	Filtering and Selection Algorithms	29
4.1.	Clock-filter procedure	29
4.2.	Clock-selection procedure	30
5.	Local Clocks	31
5.1.	Standard Oscillators	32
5.2.	Mathematical Model	33
5.3.	Fuzzball Implementation	35
5.4.	Uniform Phase Adjustments	36
5.5.	Nonuniform Phase Adjustments	37
5.6.	Maintaining Date and Time	37
6.	Acknowledgments	38
7.	References	38
8.	Appendix A. NTP Data Format - Version 2	42
9.	Appendix B. NTP Control Messages	45
9.1.	NTP Control Message Format	46
9.2.	Status Words	47

9.2.1.	System Status Word	48
9.2.2.	Peer Status Word	49
9.2.3.	Clock Status Word	49
9.2.4.	Error Status Word	50
9.3.	Commands	50
10.	Appendix C. Authentication Issues	53
10.1.	NTP Authentication Mechanism	54
10.2.	NTP Authentication Procedures	55
11.	Appendix D. Differences from Previous Versions.	57

List of Figures

Figure 1.	Implementation Model	4
Figure 2.	Calculating Delay and Offset	24
Figure 3.	Phase-Lock Loop Model	33
Figure 4.	Clock Registers	35
Figure 5.	NTP Message Header	42
Figure 6.	NTP Control Message Header	46
Figure 7.	Status Word Formats	47
Figure 8.	Authenticator Format	54

List of Tables

Table 1.	Dates of Leap-Second Insertion	7
Table 2.	System Variables	14
Table 3.	Peer Variables	15
Table 4.	Packet Variables	16
Table 5.	Parameters	16
Table 6.	Modes and Actions	22
Table 7.	Characteristics of Standard Oscillators	32
Table 8.	Clock Parameters	35